


THE BIOLOGICAL BASIS OF PASSIVE DEBRIDEMENT

**ADRIAN BOTAN MD, SENIOR CONSULTANT
PLASTIC SURGEON & CHIEF, BURN CENTRE &
PLASTIC SURGERY DEPARTMENT, UNIVERSITY
EMERGENCY HOSPITAL OF TARGU MURES,
ROMANIA.**


- ***MOTTO: “He went to him and bandaged his wounds, pouring oil and wine ...”***
- ***(Luke, 10 – 34).***

- ***CASE 1: B.E. 53 YEARS. DIABETIC FOOT WITH SEPTIC DISSEMINATION TO THE POSTERIOR RIGHT CALF (NECROTIC MYOSITIS, SURGICAL AND PASSIVE DEBRIDEMENT BY “LIGASANO” AND EVENTUALLY COVER WITH STSG).***





































- ***CASE 2: T.R.68 YEARS, BILATERAL LEG ULCERS AND EXTENSIVE SOFT TISSUE INFECTION OF THE RIGHT LEG; MEYER-HUBATKA INCISIONS FOLLOWED BY SURGICAL AND PASSIVE DEBRIDEMENT (WITH “LIGASANO”) AND FINAL COVER OF THE REMAINING DEFECT BY STSG.***









































- **CASE 3: B.I. 41 YEARS, EXTENSIVE FULL-THICKNESS CIRCUMFERENTIAL FLAME BURN OF THE RIGHT LOWER LIMB; TANGENTIAL EXCISION FOLLOWED BY PASSIVE DEBRIDEMENT WITH “LIGASANO” AND SKIN GRAFTING (COMPLETE HEALING IN ABOUT 2 MONTHS).**





















19-4-2019























- **CASE 4: N.M. 76 YEARS, WITH FULL THICKNESS HOT LIQUID BURN OF THE LEFT AXILLA, SHOULDER, ARM AND BREST, SEVERE CARDIAC FAILURE AND OTHER CARDIOVASCULAR PROBLEMS; PASSIVE DEBRIDEMENT WITH LIGASANO, FOLLOWED BY STSG (COMPLETE HEALING IN ABOUT 2 MONTHS).**






















- ***CASE 5: S.M. 78 YEARS,extensive soft tissue infection of the right buttock following a bed sore; severe cardiac failure and constrictive pericarditis; passive debridement with complete healing in about 2 months.***




















- ***THANK YOU VERY MUCH
FOR YOUR ATTENTION!***